

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/851,391	05/09/2001	Yoshiaki Moriyama	041465-5111 3429		
55694 DRINKER BII	7590 12/04/2007 DDLE & REATH (DC)		EXAMINER		
1500 K STREET, N.W.			LANIER, BENJAMIN E		
SUITE 1100 WASHINGTON, DC 20005-1209			ART UNIT	PAPER NUMBER	
			2132	,	
				· · · · · · · · · · · · · · · · · · ·	
			MAIL DATE	DELIVERY MODE	
			12/04/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
Office Action Comments	09/851,391	MORIYAMA ET AL.		
Office Action Summary	Examiner	Art Unit		
	Benjamin E Lanier	2132		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period we Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	i6(a). In no event, however, may a reply be tin within the statutory minimum of thirty (30) day ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
1)⊠ Responsive to communication(s) filed on 09 No	ovember 2007.			
	action is non-final.	·		
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E.	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.		
Disposition of Claims				
4) ⊠ Claim(s) 31-33,35-40 and 42-52 is/are pending 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 31-33,35-40,42-52 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	n from consideration.			
Application Papers				
9) The specification is objected to by the Examiner 10) The drawing(s) filed on <u>09 May 2001</u> is/are: a) Applicant may not request that any objection to the o	oxtimes accepted or b) $igsquare$ objected to t	·		
Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Example 11.		•		
Priority under 35 U.S.C. § 119				
12) ☒ Acknowledgment is made of a claim for foreign a) ☒ All b) ☐ Some * c) ☐ None of: 1. ☒ Certified copies of the priority documents 2. ☐ Certified copies of the priority documents 3. ☐ Copies of the certified copies of the priorical application from the International Bureau * See the attached detailed Office action for a list of	have been received. have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage		
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:			

Art Unit: 2132

DETAILED ACTION

Response to Amendment

1. Applicant's amendment filed 09 November 2007 amends claims 31, 35, 36, 38, 42, 43, 45, 46, 48, 49, and 52. Claims 34 and 41 have been cancelled. Applicant's amendment has been fully considered and entered.

Response to Arguments

- 2. Applicant's argues, "FIG. 5 of Hashimoto discloses an input signal having CCI (once) and EMI (once) and a recorded signal having CCID (proh) and EMID (proh) in a recording mode. Applicants respectfully submit that the EMI of the input signal is different from EMID of recorded signal...However, as clearly described in FIG. 5 of Hashimoto, Applicants respectfully submit that when the combination of CCI (free) and EMI (free) is applied, the EMID of the recorded signal is (free) in the same manner as the EMI (free)...In these cases, the EMID of the recorded signal is the same as EMI of the input signal." This argument is not persuasive because, as admitted by Applicant, there is an instance in Hashimoto were the encryption mode of the input signal is different from the encryption mode of the recorded signal (i.e. input signal having CCI (once) and EMI (once) and a recorded signal having CCID (proh) and EMID (proh)), and therefore, Hashimoto meets the claim limitations.
- 3. Examiner wishes to note that the claims do not require the predetermined scramble system to be different from originally applied scramble system in every single instance, nor does the Examiner believe that such a requirement is supported by the specification.

Claim Rejections - 35 USC § 102

Art Unit: 2132

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 31-33, 35-40, 42-52 are rejected under 35 U.S.C. 102(b) as being anticipated by Hashimoto, EP 938,091. Referring to claims 31, 38, 45, 49, Hashimoto discloses an information recording system wherein data is recorded and encrypted, with copy control information, in different modes to allow for varied copy protection (Col. 7, lines 33-60 & Col. 8, lines 26-45 & Figure 5), which meets the limitation of a selected conditions setting step of setting a selected condition to eliminate copying of the information signal via an unauthorized path, the selected condition including combinations of a plurality of types of scramble systems applicable to the information signal and a plurality of types of the copy control information. When the data is received the copy control information and encryption mode indicator are read from the data header to determine the copy protection that is to be implemented (Col. 8, lines 37-46), which meets the limitation of a discrimination step of discriminating the type of the scramble system of the inputted information signal and the type of the copy control information of the inputted information signal. The copy control information and the encryption mode indicator are updated prior to the data being encrypted and stored on a recording medium (Col. 9, lines 7-60), which meets the limitation of a scramble system of applying a predetermined scramble system to the inputted information signal and producing a scrambled output when a combination of the discriminated type of the scramble system and the discriminated type of the copy control information coincides with that included in the selected condition, a recording step of recording

Art Unit: 2132

the scrambled output on the recording medium. The initially received encrypted content is decrypted by a decryptor and output to the recording/reproducing circuit where it will be determined if the content can be recorded (Col. 7, lines 41-50), which meets the limitation of a descramble system applying step of applying a predetermined descramble system to the inputted information signal prior to the scramble system applying step applying the predetermined scramble system. When both the copy control information and the encryption mode indicator indicate copy once, the copy control information and the encryption mode indicator are updated to copy prohibited before the data is encrypted and recorded (Col. 9, lines 34-39 & Figure 5), which meets the limitation of wherein a type of the predetermined scramble system is different from that of the scramble system of the inputted information signal, the scramble system applying step applies the predetermined scramble system different from that originally applied to the inputted information signal, to the inputted information signal, without applying the same scramble system as that originally applied to the inputted information, wherein a type of the predetermined scramble system is different from that of a scramble system which a reproduction apparatus applies to information signal recorded in the recording medium by the recording step. the reproduction apparatus being capable of reproducing the recording medium.

Referring to claims 32, 33, 39, 40, 47, 51, Hashimoto discloses that when both the copy control information and the encryption mode indicator indicate copy once, the copy control information and the encryption mode indicator are updated to copy prohibited before the data is encrypted and recorded (Col. 9, lines 34-39 & Figure 5), which meets the limitation of the scramble system applying step applies a scramble system different from that of the information signal recorded on a prerecorded disc to the inputted information signal when the discriminated

Art Unit: 2132

type of the copy control information of the inputted information signal coincides with that of the inputted information signal recorded on the prerecorded disc and produces the scrambled output, wherein the copy control information permits only one copy of the information signal.

Referring to claims 35, 42, Hashimoto discloses that a decryptor provides decryption of the input data signals (Col. 7, lines 41-44), which meets the limitation of wherein the recording method further comprises a descramble system applying step of applying a predetermined descramble system to the inputted information signal, wherein the scramble system applying step applies the predetermined scramble system to the inputted information signal after the predetermined descramble system is applied, the predetermined descramble system is restricted to a descramble system corresponding to a scramble system which is previously set.

Referring to claims 36, 43, 48, 52, Hashimoto discloses two different scramble/descramble modes when the copy control information indicate copy once (Figure 31 shows encryption modes of 'once' and 'proh' when the copy control information indicates copy once), which meets the limitation of the descramble system applying step applies two types of the predetermined descramble systems to two types of scramble systems of the inputted information signals respectively, one type of the scramble system of the information signal to which the copy control information permitting only one recording of the information signal outputted from a receiving apparatus (1) in an information recording medium is given, and for permitting only one copy of the outputted information signal to another information recording medium, and another type of the scramble system is a scramble system of the information signal outputted when reproduction is executed from a recording medium to which the copy control information for permitting only one copy of the information signal is given.

Application/Control Number:

09/851,391 Art Unit: 2132

Referring to claims 37, 44, Hashimoto discloses that one of the copy protection modes indicated by the copy control information and the encryption mode indicator is copy prohibited (Col. 9, lines 47-60 & Figure 5), which meets the limitation of the scramble system applying step applies only one predetermined scramble system to the inputted information signal, and the only one predetermined scramble system is a scramble system which is applied to the case where recording information to which copy control information for forbidding copies after the information signal is copied once is given is recorded onto the recording medium.

Referring to claims 46, 50, Hashimoto discloses that the system provides for copy prohibited modes in various scenarios (Figure 5), which meets the limitation of the reproduction method further comprises a forbidding reproducing step of forbidding reproducing the read information signal when a combination of the discriminated type of the scramble system and the discriminated type of the copy control information does not coincide with that included in a selected condition, wherein the selected condition includes combinations of a plurality of types of scramble systems applicable to the information signal and a plurality of types of the copy control information to eliminate copying of the information signal via an unauthorized path.

Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

Art Unit: 2132

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Benjamin E. Lanier whose telephone number is 571-272-3805. The examiner can normally be reached on M-Th 6:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Benjamin E. Lanier Primary Examiner